

## Health Professionals Update

October 20, 2023; Vol. 16, No. 32

IN THIS ISSUE:	FROM:
<ul> <li>NEW: National Infection Prevention and Contro (IPAC) Week</li> <li>NEW: Common issues cited in IPAC Complaint Investigations</li> </ul>	
<ul> <li>Key Messages:</li> <li>It is National IPAC Week, October 16-20, 2023. resources to support implementation of IPAC be practices in clinical office practice settings are available on Public Health Ontario's website.</li> </ul>	est <u>office-core.pdf</u>
<ul> <li>Public Health Units investigate IPAC complaints clinical office practices. Common issues identifi are often related to reprocessing of reusable equipment and instruments.</li> </ul>	Reprocessing of Medical Equipment/ Devices. This
<u>NEW: National Infection Prevention and Control</u> (IPAC) Week	https://www.publichealthontario.ca/- /media/documents/c/2019/checklist-clinical- office-reprocessing.pdf
This year's theme, "Unmasking the Future", recognizes our emergence from the pandemic with new learnings as we move forward. IPAC week is ar opportunity to raise awareness of the importance o IPAC best practices in clinical office settings.	practices that put patients and others at risk in clinical
Consider adopting these resources from Public Heal	th <u>Topics/Infection-Prevention-Control/Clinical-Office-</u>

Consider adopting these resources from Public Health Ontario into your office practice:

- Infection Prevention and Control for Clinical Office Practice. This guidance document outlines legislative requirements and best practices. <u>https://www.publichealthontario.ca/-</u> /media/Documents/B/2013/bp-clinical-officepractice.pdf
- IPAC Checklist for Clinical Office Practice Core Elements. This checklist should be used regularly to evaluate the current office practice compared to provincial recommendations.

NEW: Common Issues cited in IPAC Complaint Investigations

Practice/High-Risk-Practices

Public Health Units in Ontario are mandated to receive and investigate IPAC complaints in clinical office settings. Actions can range from recommendations to improve IPAC practices to cessation of specific practices (e.g., use of multi-use equipment). Reprocessing reusable equipment and instruments is often the focus of complaint investigations.

PO Box 667 RPO Streetsville, Mississauga, ON L5M 2C2 Tel: (905) 799-7700 <u>peelregion.ca</u> The Health Professionals Update is distributed to physician offices in Peel Region. Please reproduce copies for each physician in your practice.



## Health Professionals Update

October 20, 2023; Vol. 16, No. 32

All practices should consider the following:

- 1. For all multi-use medical equipment, follow the Manufacturer Instructions for Use (MIFU). This includes sterilization instructions and tracking the number of times the equipment can be re-used.
- 2. Ensure the autoclave is registered under the Medical Devices Active License Listing (MDALL) for use in Canada, <u>https://www.canada.ca/en/healthcanada/services/drugs-health-products/medicaldevices/licences/medical-devices-active-licencelisting.html</u>
- When sterilizing medical instruments, ensure all indicators are checked and logged (time, temperature, pressure, chemical and biological). All indicators should pass prior to using the equipment on the next patient.
- 4. Label and log sterilization pouches. This will help track and rotate sterilized items and is particularly helpful if there is an indicator failure where items should be removed from use.
- Ensure all staff responsible for reprocessing medical instruments have received the proper training and education. This includes understanding the MIFUs and consulting best practice guidance. Public Health Ontario offers free online courses: <u>https://www.publichealthontario.ca/en/Educatio</u> <u>n-and-Events/Online-Learning/IPAC-Courses</u>

For more information related to Infection Prevention and Control visit https://www.peelregion.ca/health/infection-control/